








LUMINARIAS TECHO
CEILING LIGHTING
LUMINAIRES POUR LES PLAFONDS







AL

280 x 280 mm.


230 V 50Hz	Classe I	IP20	F	90
Fe	AL	TRANSF	OPAL Acrylic	

FENIX 300 **18 W**



6000/6700 °K
Blanco frío
Cool white
Blanc froid

○ Ref. **LFEPTA601800A**

ACCESORIOS SUSPENSIÓN: SUSPENSION ACCESORIES ACCESSOIRES SUSPENSION	ASE FENIX	MANDO DISTANCIA: REMOTE CONTROL TÉLÉCOMMANDE	TMI 020
---	------------------	--	----------------



AL

580 x 580 mm.


230 V 50Hz	Classe I	IP20	F	360
Fe	AL	TRANSF	OPAL Acrylic	

FENIX 600 **72 W**



6000/6700 °K Blanco frío Cool white Blanc froid	4000/4500 °K Blanco neutro Neuter white Blanc neutre	3000/3500 °K Blanco cálido Warm white Blanc chaud
--	---	--

○ Ref. **LFEQTA607200A**

ACCESORIOS SUSPENSIÓN: SUSPENSION ACCESORIES ACCESSOIRES SUSPENSION	ASE FENIX	MANDO DISTANCIA: REMOTE CONTROL TÉLÉCOMMANDE	TMI 020
---	------------------	--	----------------



AL

1180 x 280 mm.

230 V 50Hz	Classe I	IP20	F	360
Fe	AL	TRANSF	OPAL Acrylic	

FENIX 1200 **72 W**

6000/6700 °K Blanco frío Cool white Blanc froid	4000/4500 °K Blanco neutro Neuter white Blanc neutre	3000/3500 °K Blanco cálido Warm white Blanc chaud
--	---	--

○ Ref. **LFERTA607200A**

ACCESORIOS SUSPENSIÓN: SUSPENSION ACCESORIES ACCESSOIRES SUSPENSION	ASE FENIX	MANDO DISTANCIA: REMOTE CONTROL TÉLÉCOMMANDE	TMI 020
---	------------------	--	----------------